

# Missouri Department of Natural Resources

# **Total Maximum Daily Load Information Sheet**

## West Fork Sni-A-Bar Creek

## Waterbody Segment at a Glance:

County: Jackson
Nearby Cities: Blue Springs
Length of impairment: 2 miles

**Pollutants:** Biochemical Oxygen

Demand (BOD) Volatile Suspended

Solids (VSS)

Source: Lake Lotawana Lagoon

**Note:** The current assessment of this stream is 2.5 miles impaired by BOD, based on a water quality survey conducted after the development of the 2002 303(d) List.



### TMDL Priority Ranking: High

### **Description of the Problem**

#### Beneficial uses of West Fork Sni-A-Bar Creek

- Livestock and Wildlife Watering
- Protection of Warm Water Aquatic Life
- Protection of Human Health associated with Fish Consumption

#### Use that is impaired


Protection of Warm Water Aquatic Life

#### Standards that apply

- The Missouri Water Quality Standard (WQS), found in 10 CSR 20-7.031 Table A, for Dissolved Oxygen (DO) (related to BOD) in streams is 5.0 milligrams per liter (mg/L) or parts per million.
- Standards for Volatile Suspended Solids (VSS) is found in the general criteria section of the WQS, 10 CSR 20-7.031(3)(A) and (C) where it states:
  - Waters shall be free from substances in sufficient amounts to cause the formation of putrescent, unsightly or harmful bottom deposits or prevent full maintenance of beneficial uses.
  - Waters shall be free from substances in sufficient amounts to cause unsightly color or turbidity, offensive odor or prevent full maintenance of beneficial uses.

Any waterbody that was listed for Non-Filterable Residue (NFR) in 1998, such as West Fork Sni-A-Bar Creek, is now being listed for VSS. This change was made to better distinguish between organic solids coming from wastewater treatment plants (VSS) and mineral solids (soil or mineral particles) coming from soil erosion or erosion of mine waste materials or stockpiles, Non-Volatile Suspended Solids (NVSS).

Impaired Segment of West Fork Sni-A-Bar Creek in Jackson County, Missouri, with Sampling Sites



#### **Sampling Site Index**

- 1 W. Fk. Sni-A-Bar 0.1 mile upstream of Lake Lotawana Lagoon
- 2 Lake Lotawana Lagoon Outfall
- 3 W. Fk. Sni-A-Bar 1.1 miles downstream of Lake Lotawana Lagoon
- 4 W. Fk. Sni-A-Bar 3.2 miles downstream of Lake Lotawana Lagoon
- 5 W. Fk. Sni-A-Bar 4.4 miles downstream of Lake Lotawana Lagoon

#### **Background Information and Water Quality Data**

Forty-eight hour water quality studies in 2001 and 2003 showed low levels of DO in West Fork Sni-A-Bar Creek downstream from the Lake Lotawana Lagoon. DO in the creek is reduced by wastewater high in BOD and most aquatic organisms require high levels of oxygen to survive. Significant amounts of algae (VSS) were identified in the same stretch of the creek during 2001. Excessive algal growth can die off and settle to the bottom causing increased bacterial decomposition. That decomposition can result in excess oxygen demand and low Dissolved Oxygen. Like all wastewater discharges in Missouri, this lagoon has to meet the requirements of a discharge permit issued by the Missouri Department of Natural Resources. A Waste Load Allocation (WLA) has been calculated that gives the scientific basis for setting those limits. The City of Lake Lotawana is constructing a new advanced treatment facility that will reduce the BOD and VSS by 75%.





Figure 1. DO in West Fork Sni-A-Bar Creek from Stream Surveys in August 2001 and July 2003

Note: Since DO levels are higher in the afternoon, the morning measurements are used in the WLA. This is because they offer the greater level of water quality protection in the creek.

Figure 2: VSS in West Fork Sni-A-Bar from a Stream Survey in July, 2003



#### For more information call or write:

Missouri Department of Natural Resources Water Protection Program P.O. Box 176, Jefferson City, MO 65102-0176 1-800-361-4827 or (573) 751-1300 office (573) 522-9920 fax

Program Home Page: www.dnr.mo.gov/env/wpp/index.html